Psychiatric University Hospital Zurich, Division of Clinical Psychiatry

YALE-BROWN OBSESSIVE COMPULSIVE SCALE

Y - BOCS

Goodman WK, Price LH, Rasmussen SA, Mazure C, Fleischmann RL, Hill CL, Heninger GR, Charney DS

STUDY []	1-4
GROUP []	5-6
PATIENT []	7-9
RATING DAY []	10-12
CARD NUMBER []	13-14
Sex (1=male, 2=female) [_]	15
Birthday (dd.mm.yyyy) [:]	16-23
Date of hospitalization (dd.mm.yyyy) [:]	24-31
First diagnosis []	32-36
Second diagnosis []	37-41
Diagnostic system (1=ICD9, 2=ICD10, 3=DSM3-R, 4=DSM4) [_]	42
Age at onset	43-44
Course (1=first manifestation, 2=intermittent, 3=progredient, 4=chronic) [_]	45
Duration of Current Episode Prior to Hospitalization (days)	46-48
Medication Prior to Hospitalization (0=none, 1=antidepr., 2=neuroleptics, 3=other) [_]	49
Current Medication (cf. list of codes)	50-52
Educational level (1=remedial, 2=junior high, 3=high, 4=college) [_]	53
DATE (dd.mm.yyyy) [:]	54-61
INTERVIEWER []	62-64
HOSPITAL []	65-66
PATIENT ID (the hospital's internal PID)[]	67-78



Obsessions are unwanted ideas, images or impulses that intrude on thinking against your wishes and efforts to resist them. They usually involve themes of harm, risk and danger. Common obsessions are excessive fears of contamination; recurring doubts about danger; extreme concern with order, symmetry, or exactness; fear of losing important things.

Please answer each question by checking the box next to it!

Card number			1-12 dupl
1. Time occupied by obsessive thoughts			do not fill out
How much of your time is occupied by obsessive thoughts			
None		(0)	
Less than 1 hr/day or occasional occurrence		(1)	
1 to 3 hrs/day or frequent		(2)	
Greater than 3 and up to 8 hrs/day or very frequent occurrence		(3)	
Greater than 8 hrs/day or nearly constant occurrence		(4)	[_] 15
2. Interference due to obsessive thoughts			
How much of your obsessive thoughts interfere with your work, school, social, or other important role functioning? Is there anything that you don't do because of them?			
None	П	(0)	
Slight interference with social or other activities, but overall performance not impaired		(1)	
Definite interference with social or occupational performance, but still manageable		(2)	
Causes substantial impairment in social or occupational performance Incapacitating		(3) (4)	[] 16
3. Distress associated with obsessive thoughts			L_1
How much distress do your obsessive thoughts cause you?			
None	П	(0)	
Not too disturbing		(1)	
Disturbing, but still manageable		(2)	
Very disturbing		(3)	
Near constant and disabling distress		(4)	[_] 17
4. Resistance against obsessions			
How much of an effort do you make to resist the obsessive thoughts? How often do you try to disregard or turn your attention away from these thoughts as they enter your mind?			
Try to resist all the time		(0)	
Try to resist most of the time		(1)	
Make some effort to resist		(2)	
Yield to all obsessions without attempting to control them, but with some reluctance		(3)	
Completely and willingly yield to all obsessions		(4)	[_] 18

5. Degree of control over obsessive thoughts	do not fill out
How much control do you have over your obsessive thoughts? How successful are you in stopping or	
diverting your obsessive thinking? Can you dismiss them?	
$Complete control \Box (0)$	
Usually able to stop or divert obsessions with some effort and \Box (1) concentration	
Sometimes able to stop or divert obsessions \Box (2)	
Rarely successful in stopping or dismissing obsessions, can only (3) divert attention with difficulty	
Obsessions are completely involuntary, rarely able to even \Box (4) momentarily alter obsessive thinking	[_] 19

The next several questions are about compulsive behaviors.

Compulsions are urges that people have to do something to lessen feelings of anxiety or other discomfort. Often they do repetitive, purposeful, intentional behaviors called rituals. The behavior itself may seem appropriate but it becomes a ritual when done to excess. Washing, checking, repeating, straightening, hoarding and many other behaviors can be rituals. Some rituals are mental. For example thinking or saying things over and over under your breath.

		Ì
6. Time spent performing compulsive behaviors		
How much time do you spend performing compulsive behaviors? How much longer than most people does it take to complete routine activities because of rituals? How frequent do you rituals?		
None	(0)	
Less than 1 hr/day, or occasional performance of compulsive behaviors	(1)	
From 1 to 3 hrs/day, or frequent performance of compulsive behaviors	(2)	
More than 3 and up to 8 hrs/day, or very frequent performance of compulsive behaviors	(3)	
More than 8 hrs/day, or near constant performance of compulsive behaviors (too numerous to count)	(4)	[_] 20
7. Interference due to compulsive behaviors		
How much do your compulsive behaviors interfere with your work, school, social or other important role functioning? Is there anything that you don't do because of the compulsions?		
None	(0)	
Slight interference with social or other activities, but overall performance not impaired	(1)	
Definite interference with social or occupational performance, but still manageable	(2)	
Causes substantial impairment in social or occupational performance	(3)	
Incapacitating	(4)	21

8. Distress associated with compulsive behavior			
How would you feel if prevented from performing your compulsion(s)? How anxious would you become?			
None		(0)	
Only slightly anxious if compulsions prevented		(1)	
Anxiety would mount but remain manageable if compulsions prevented		(2)	
Prominent and very disturbing increase in anxiety if compulsions interrupted		(3)	
Incapacitating anxiety from any intervention aimed at modifying activity		(4)	[_] 22
9. Resistance against compulsions			
<i>How much of an effort do you make to resist the compulsions?</i>			
Always try to resist		(0)	
Try to resist most of the time		(1)	
Make some efforts to resist		(2)	
Yield to almost all compulsions without attempting to control them,		(3)	
but with some reluctance			
Completely and willingly yield to all compulsions		(4)	[_] 23
10. Degree of control over compulsive behavior			
How strong is the drive to perform the compulsive behavior? How much control do you have over the compulsions?			
Complete control		(0)	
Pressure to perform the behavior but usually able to exercise voluntary control over it		(1)	
Strong pressure to perform behavior, can control it only with difficulty	П	(2)	
Very strong drive to perform behavior, must be carried to completion, can only delay with difficulty		(3)	
Drive to perform behavior experienced as completely involuntary and overpowering, rarely able to even momentarily delay activity		(4)	[_] ²⁴